

Klaus Miczek

Selected high-impact publications in last ten years (from more than 240)

- Tidey, J. W. and Miczek, K. A. Social defeat stress selectively alters mesocorticolimbic dopamine release: An *in vivo* microdialysis study. *Brain Research* 1996 **721**: 140-149
- Miczek, K. A. and Mutschler, N. Activational effects of social stress on IV cocaine self-administration in rats. *Psychopharmacology* 1996 **128**: 256-264
- Tidey, J. W. and Miczek, K. A. Acquisition of cocaine self-administration after social stress: Role of accumbens dopamine. *Psychopharmacology* 1997 **130**: 203-212
- Vivian, J. A., Barros, H. M. T., Manitiu, A. and Miczek, K. A. Ultrasonic vocalizations in rat pups: Modulation at the GABAA receptor complex and the neurosteroid recognition site. *Journal of Pharmacology and Experimental Therapeutics* 1997 **282**: 318-325
- Miczek, K. A., DeBold, J. F., van Erp, A. M. M. and Tornatzky, W. Alcohol, Benzodiazepine-GABAA Receptor Complex, and Aggression. In: Galanter, M. (ed) *Recent Developments in Alcoholism. Vol XIII. Alcohol and Violence*, New York: Plenum Publishing 1997, pp. 139-171
- Miczek, K. A., Hussain, S. and Faccidomo, S. Alcohol-heightened aggression in mice: Attenuation by 5-HT_{1A} receptor agonists. *Psychopharmacology* 1998 **139**:160-168
- Nikulina, E. M., Marchand, J. E., Kream, R., and Miczek, K. A. Fos expression in murine brain stem nuclei after a brief social stress: Behavioral sensitization to cocaine. *Brain Research* 1998 **810**:200-210
- Miczek, K. A., Barros, H. M. and Weerts, E. M. Alcohol and heightened aggression in individual mice. *Alcoholism: Clinical and Experimental Research* 1998 **22**:1698-1705
- Olivier, B., Molewijk, H. E., van Oorschot, R., Ronken, E., Mos, J. and Miczek, K. A. Ultrasonic vocalizations in rodents: effects of serotonergic ligands. *Neuroscience and Biobehavioral Reviews* 1998 **23**:215-227
- Koleske A.J., Gifford A.M., Scott M.L., Nee M., Bronson R.T., Miczek K.A., Baltimore D. Essential roles for the Abl and Arg tyrosine kinases in neurotation. *Neuron* 1998 **21**:1259-1272
- Miczek, K. A., Nikulina, E., Kream R. M., Carter, G., Espejo, E. F. Behavioral sensitization to cocaine after a brief social defeat stress: *c-fos* expression in the PAG. *Psychopharmacology* 1999 **141**:225-234
- Weninger, S. C., Dunn, A. J., Muglia, L. J., Dikkes, P., Miczek, K. A., Swiergiel, A. H., Berridge, C. and Majzoub, J. A. Stress-induced behaviors require the CRH receptor, but not CRH. *Proceedings of the National Academy of Sciences* 1999 **96**:8283-8288
- Tornatzky, W. and Miczek, K. A. Repeated limited access to IV cocaine self-administration: conditioned autonomic rhythmicity illustrating "predictive homeostasis." *Psychopharmacology* 1999 **145**: 144-152
- Fish, E. W., Faccidomo, S. and Miczek, K. A. Aggression heightened by alcohol or social instigation: reduction by the 5-HT_{1B} receptor agonist CP-94,253. *Psychopharmacology* 1999 **146**: 391-399
- Nikulina, E. M., Hammer, R. P., Jr., Miczek, K. A., and Kream, R. M. Social defeat stress increases expression of μ -opioid receptor-encoding mRNA in rat ventral tegmental area. *Neuroreport* 1999 **10**:3015-3019
- Miczek, K. A., Mutschler, N. H., van Erp, A. M. M., Blank, A. D., and McInerney, S. C. *d*-Amphetamine "cue" generalizes to social defeat stress: sensitization and role of accumbens dopamine. *Psychopharmacology* 1999 **147**:190-199
- Tornatzky, W. and Miczek, K. A. Cocaine self-administration "binges": transition from behavioral and autonomic regulation toward homeostatic dysregulation in rats. *Psychopharmacology* 2000 **148**:289-298
- Fish, E. W., Sekinda, M., Ferrari, P. F., Dirks, A. and Miczek, K. A. Distress vocalizations in maternally-separated mouse pups: modulation via 5-HT_{1A}, 5-HT_{1B} and GABA_A receptors. *Psychopharmacology* 2000 **149**:277-285

- Mutschler, N. H., Miczek, K. A. and Hammer, R., Jr. Prolonged reduction of *zif/268* mRNA expression during withdrawal following a “binge” of cocaine self-administration. *Neuroscience* 2000 **100**:531-538
- van Erp, A. M. M. and Miczek, K. A. Aggressive behavior, increased accumbal dopamine and decreased cortical serotonin in rats. *Journal of Neuroscience* 2000 **20**:9320-9325
- Fish, E. W., Faccidomo, S., DeBold, J. F. and Miczek, K. A. Alcohol, allopregnanolone and aggression in mice. *Psychopharmacology* 2001 **153**:473-483
- Rowlett, J. K., Tornatzky, W., Cook, J., Ma, C. and Miczek, K. A. Zolpidem, triazolam, and diazepam decrease distress vocalizations in mouse pups: differential antagonism by flumazenil and b-CCT. *Journal of Pharmacology and Experimental Therapeutics* 2001 **297**:247-253
- de Almeida, R. M., Nikulina, E. M., Faccidomo, S., Fish, E. W. and Miczek, K. A. Zolmitriptan, a 5-HT_{1B/D} receptor agonist, alcohol and aggression in mice. *Psychopharmacology* 2001 **157**:131-141
- van Erp, A. M. M. and Miczek, K. A. Persistent suppression of ethanol self-administration by brief social stress in rats and increased startle response as index of withdrawal. *Physiology & Behavior* 2001 **73**:301-311
- Miczek, K. A. and de Almeida, R. M. M. Oral drug self-administration in the home cage of mice: alcohol-heightened aggression and inhibition by the 5-HT_{1B} agonist anpirtoline. *Psychopharmacology* 2001 **157**:421-429
- Covington, H., III and Miczek, K. A. Repeated social defeat stress, cocaine or morphine: effects on behavioral sensitization and IV cocaine self-administration “binges.” *Psychopharmacology* 2001 **158**:388-398
- Miczek, K. A., Maxson, S. T., Faccidomo, S. and Fish, E. W. Aggressive behavioral phenotypes in mice. *Behavioural Brain Research* 2001 **125**:167-181
- Miczek, K. A. Research on Animal Aggression: Emerging Successes for Understanding Determinants of Human Violence. In: M. E. Carroll and J. B. Overmier (eds.) *Animal Research and Human Health: Advancing Human Welfare Through Behavioral Science*. American Psychological Association, Washington D.C. 2001, pp. 41-61
- Fish, E.W., DeBold, J.F. and Miczek, K.A. Increased alcohol-heightened aggression following behavioral sensitization to alcohol in mice. *Psychopharmacology* 2002 **160**:39-48
- de Almeida, R. M. and Miczek, K. A. Aggression escalated by social instigation or by discontinuation of reinforcement (“frustration”) in mice: inhibition by anpirtoline – a 5-HT_{1B} receptor agonist. *Neuropsychopharmacology* 2002 **27**:171-181
- Miczek, K.A., De Bold, J.F., Fish, E.W. and de Almeida, R. M. M. Social and neural determinants of aggressive behavior: pharmacotherapeutic targets at 5-HT, DA and GABA systems. *Psychopharmacology* 2002 **163**: 434-458
- Fish, E.W., DeBold, J.F. and Miczek, K. A. Aggressive behavior as a reinforcer in mice: activation by allopregnanolone. *Psychopharmacology* 2002 **163**: 459-466
- Ferrari, P.F., van Erp, A.M.M., Tornatzky, W., and Miczek, K.A. Accumbal dopamine and serotonin in anticipation of the next aggressive episode in rats. *European Journal of Neuroscience* 2003 **17**: 371-378
- Covington, H., III and Miczek, K. A. Vocalizations during withdrawal from opiates and cocaine: Possible expressions of affective distress. *European Journal of Pharmacology* 2003 **467**: 1-13
- Miczek, K. A., Fish, E. W. and DeBold, J. F. Allopregnanolone, GABA_A receptors, and escalated aggression. *Hormones and Behavior* 2003 **44**:242-257
- Fish, E. W., Faccidomo, S., Gupta, S., and Miczek, K. A. Anxiolytic-like effects of escitalopram and its enantiomers, citalopram and R-citalopram in maternally separated mouse pups. *Journal of Pharmacology and Experimental Therapeutics* 2004 **308**:474-480
- Nikulina, E., Covington, H. III, Hammer, R.J., Jr. and Miczek, K. A. Long-term behavioral and neural cross-sensitization to amphetamine induced by repeated social defeat stress. *Neuroscience* 2004 **123**:857-865

- Miczek, K. A., Covington, H. III, Nikulina, E. M., Hammer, R. P., Jr. Aggression and defeat: persistent effects on cocaine self-administration and gene expression in peptidergic and aminergic mesocorticolimbic circuits. *Neuroscience and Biobehavioral Review* 2004 **27**: 787-802
- de Almeida, R. M. M., Rowlett, J. K., Cook, J. W. Yin and Miczek, K. A. GABA_A/α₁ receptor agonists and antagonists, and alcohol-heightened aggressive behavior in mice. *Psychopharmacology* 2004 **172**:255-263
- Miczek, K. A., Fish, E. W., de Almeida, R. M. M., Faccidomo, S., DeBold, J. F. Role of alcohol consumption in escalations to violence. Devine, J., Gilligan, J., Miczek K.A., Pfaff, D., Shaikh, R. (eds.) Youth Violence. Scientific Approaches to Prevention. Annals of New York Academy of Sciences 2004 **1036**:278-289
- Miczek, K. A., Faccidomo, S., de Almeida, R. M. M., Bannai, M., Fish, E. W., and DeBold, J. F. Escalated aggressive behavior: new pharmacotherapeutic approaches and opportunities. Devine, J., Gilligan, J., Miczek K.A., Pfaff, D., Shaikh, R. (eds.) Youth Violence. Scientific Approaches to Prevention. Annals of New York Academy of Sciences 2004 **1036**:336-355
- Covington, H. III, Kikusui, T., Goodhue, J., Nikulina, E., Hammer, R.J., Jr., and Miczek, K. A. Brief social defeat stress: long-lasting effects on cocaine taking during a binge and *Zif268* mRNA expression in the amygdala and prefrontal cortex. *Neuropsychopharmacology* 2005 **29**:1-12
- Kikusui, T., Faccidomo, S. and Miczek, K. A. Repeated maternal separation increases cocaine-induced behavioral sensitization in adult male and female mice. *Psychopharmacology* 2005 **178**:202-210
- Yap, J., Covington, H. E., Gale, M., Datta, R. and Miczek, K. A. Behavioral sensitization due to social defeat stress in mice: Antagonism at mGluR5 and NMDA receptors. *Psychopharmacology* 2005 **179**:230-239
- McKenzie-Quirk, S. D., Girasa, K. A., Allan, A. M. and Miczek, K. A. 5-HT₃ receptors, alcohol intake and aggressive behavior in mice. *Behavioural Pharmacology* 2005 **16**:163-170
- Nikulina, E. M., Miczek, K. A., and Hammer, R. P. Jr. Prolonged effects of repeated social defeat stress on mRNA expression and function of m-opioid receptors in the ventral tegmental area of rats. *Neuropsychopharmacology* 2005 **30**:1096-1103
- Fish, E. W., DeBold, J. F. and Miczek, K. A. Escalated aggression as a reward: corticosterone, and GABA_A receptor positive modulators in mice. *Psychopharmacology* 2005 **182**: 116-127
- de Almeida, R. M. M., Ferrari, P. F., Parmigiani, S. and Miczek, K.A. Escalated aggressive behavior: dopamine, serotonin and GABA. *European Journal of Pharmacology* 2005 **526**:51-64
- Ferrari, P.F., Palanza, P., Parmigiani, S., de Almeida, R.M.M., Miczek, K.A. Serotonin and aggressive behavior in rodents and nonhuman primates: Predispositions and plasticity. *European Journal of Pharmacology* 2005 **526**:259-273
- Covington, H. E. and Miczek, K. A. Intense cocaine self-administration after episodic social defeat stress, but not after aggressive behavior: dissociation from corticosterone activation. *Psychopharmacology* 2005 **183**:331-340
- Miczek, K. A. and E. W. Fish Monoamines, GABA, Glutamate and Aggression. In: Randy J. Nelson (ed.) *Biology of Aggression*. Oxford University Press 2005, pp.114-149
- de Almeida, R.M.M., Rosa, M.M., Santos, D.M., Saft, D.M., Benini, Q., Miczek, K.A. 5-HT_{1B} receptors, ventral orbitofrontal cortex, and aggressive behavior in mice. *Psychopharmacology* 2006 **185**:441-450
- de Almeida, R.M.M., Rosa, M.M., Santos, D.M., Saft, D.M., Benini, Q., Miczek, K.A. 5-HT_{1B} receptors, ventral orbitofrontal cortex, and aggressive behavior in mice. *Psychopharmacology* 2006 **185**:441-450
- Yap, J.J., Takase, T.F., Kochman, L.J., Fornal, C.F., Miczek, K.A. and Jacobs, B.J.
- Repeated brief social defeat episodes in mice: Effects on cell proliferation in the dentate gyrus. *Behavioural Brain Research* 2006 **172**:344-350

- van Erp, A.M.M. and Miczek, K.A. Increased accumbal dopamine during daily alcohol consumption and subsequent aggressive behavior in rats. *Psychopharmacology* 2007 **191**:679-688
- Yap, J. and Miczek, K.A. Social defeat stress, cross-sensitization to *d*-amphetamine and cocaine self-administration in mice. *Psychopharmacology* 2007 **192**:261-274
- Fowler, S. C., Covington, H.E. and Miczek, K.A. Stereotyped motor routines during cocaine self-administration: results from a twenty-four hour binge of unlimited cocaine access in rats. *Psychopharmacology* 2007 **192**:465-478
- Veiga, C.P., Miczek, K.A., Lucion, A.B., de Almeida, R.M.M. Effect of 5-HT_{1B} receptor agonists injected into the prefrontal cortex on maternal aggression in rats. *Brazilian Journal of Medical and Biological Research* 2007 **40**: 825-830
- Bannai, M., Fish, E. W., Faccidomo, S. P. and Miczek, K. A. Anti-aggressive effects of agonists at 5-HT_{1B} receptors in the dorsal raphe nucleus of mice. *Psychopharmacology* 2007 **193**: 295-304
- Miczek, K.A., de Almeida, R.M.M., Kravitz, E.A., Rissman, E.F., de Boer, S.F., Raine, A. The neurobiology of escalated aggression and violence. *J. Neuroscience* 2007 **27**: 11803 – 11806
- Miczek, K. A., Fish, E. W., Faccidomo, S. P. and J. F. DeBold. Neurochemistry and Molecular Neurobiology of Aggressive Behavior. In: Jeffrey D. Blaustein (Ed.) Behavioral Neurochemistry, Neuroendocrinology and Molecular Neurobiology. Handbook of Neurochemistry and Molecular Biology. New York: Klüwer Academic 2007
- Caldwell, E. E. and Miczek, K. A. Long term citalopram maintenance in mice:
- selective reduction of alcohol-heightened aggression. *Psychopharmacology* 2008 **196**: 407-416
- Fish, E. W., McKenzie-Quirk, S. D., Bannai, M., and Miczek, K. A. 5-HT_{1B} receptor inhibition of alcohol-heightened aggression in mice: comparison to drinking and running. *Psychopharmacology* 2008 **197**:145-156
- Covington, H. E., Tropea, T., Rajadhyaksha, A., Kosofsky, B. E., and Miczek, K. A. Intense cocaine taking and episodic social defeat stress in rats: Role of NMDA receptors in the ventral tegmental area. *Psychopharmacology* 2008 **197**:203-216
- de Almeida, R.M.M., Benini, Q.; Betat, J.S., Hipolide, D. C., Miczek, K. A., Svensson, A. I. Heightened aggression after chronic flunitrazepam in male rats: Role of cortical and caudate-putamen binding sites. *Psychopharmacology* 2008 **197**:309-318
- Nikulina, E. M., Arrillaga-Romany, I., Miczek, K. A. and Hammer, R. P., Jr. Long-lasting cellular activation in mesocorticolimbic structures after repeated social defeat stress in rats: time course of mu-opioid receptor mRNA and FosB/deltaFosB immunoreactivity. *European J. Neuroscience* 2008 **27**:2272-2284
- Faccidomo, S. P., Bannai, M. and Miczek, K. A. Escalated aggression after alcohol drinking in male mice: prefrontal cortex serotonin and 5-HT_{1B} receptors. *Neuropsychopharmacology* 2008 (on line)
- Miczek, K. A. and de Wit, H. Challenges for translational psychopharmacology research – some basic principles. *Psychopharmacology* 2008 **199**:291-301
- Miczek, K. A., Covington, H. E., and Yap, J. J. Social stress, therapeutics and drug abuse: preclinical models of escalated and depressed intake. *Pharmacology and Therapeutics* 2008 (on line)
- McKenzie-Quirk, S. D. and Miczek, K. A. Social separation and context: alcohol consumption in squirrel monkeys. *Psychopharmacology* 2008 (on line)
- Faccidomo, S. P., Fish, E. W. and Miczek, K. A. Alcohol-heightened aggression in mice: experimenter- versus self-administration. *Physiology & Behavior* 2008 (submitted)
- Cruz, F.C., Quadros, I. M., Planeta, C da S. and Miczek, K. A. Maternal separation stress in mice: Long-term increases in alcohol intake. *Psychopharmacology* 2008 (on line)
- Centenaro, L. A., Vieira, K., Zimmermann, N., Miczek, K. A. Lucion, A. B., and de Almeida, R. M. M. Social instigation and aggressive behavior in mice: role of 5-HT_{1A} and 5-HT_{1B} receptors in the prefrontal cortex. *Psychopharmacology* 2008 (on line)